

JRC Dataset

EMIS - MERIS Monthly gradients sea surface Chlorophyll-a concentration (2km) (ratio)

Description:

Monthly gradients sea surface Chlorophyll-a concentration (ratio(log10) at 2km resolution) derived from the MERIS sensor (Satellite remote sensing Ocean color data): Chlorophyll is a photosynthetic pigment commonly present in all phytoplankton species. It is used as a proxy for phytoplankton biomass. Chlorophyll concentration is a standard product from satellite-based optical sensors, usually retrieved from empirical algorithms using reflectance ratios at two or more wavebands.

Contributors:

- Melin, Frederic frederic.melin@ec.europa.eu

How to cite:

Melin, Frederic(2016): EMIS - MERIS Monthly gradients sea surface Chlorophyll-a concentration (2km) (ratio). European Commission, Joint Research Centre (JRC) [Dataset] PID: <http://data.europa.eu/89h/ef0d035b-4f40-4cba-baef-08b765294e54>

Keywords:

Environmental monitoring facilities, GIS digital format, Oceanographic geographical features, Protected sites, climate change, coastal environment, environmental data, marine environment, marine monitoring, ocean color, satellite observations, sea surface Chlorophyll-a concentration gradients, sea water protection

Related resources:

Data access

EMIS - Download access (EMIS_M_GRA_CHLA)

Direct NetCDF download

<http://emis.jrc.ec.europa.eu/emis/satellite/2km/gradients/>

Additional information:

Last Modified: 2013-06-11

Issue date: 2016-08-10

Landing page: <http://emis.jrc.ec.europa.eu/>

Temporal coverage: From: 2002-05-01 – To:

Language: English

Data theme(s): Environment

EuroVoc domain(s): 36 SCIENCE; 52 ENVIRONMENT

EuroVoc concept(s): environmental monitoring; ocean; oceanography; protected area

Identifier: <http://data.europa.eu/89h/ef0d035b-4f40-4cba-baef-08b765294e54>

Geographic information:

Lineage: General information: Monthly gradients sea surface Chlorophyll-a concentration (ratio log10 scaling) derived from the MERIS sensor. Processing information: Chlorophyll-a data is processed using NASA SeaDAS 6.4 software and the standard OC3M algorithm for chl-a. Temporal characteristics: This product consists of standard monthly gradients sea surface chlorophyll-a concentrations (L3 product) at 2km resolution (projection: Equidistant cylindrical Grid mapping: equirectangular). Description of observation methods/instruments: The remote sensing of 'Ocean Color' represents a measure of the spectral variations in the light leaving the water surface, subsequently interpreted in terms of concentrations of optically-significant constituents in the water. After removing the atmospheric contribution, the water leaving radiance recorded at a given time and wavelength by the satellite

reflects the optical properties of the water which, in turn, mirrors a specific structure and biogeochemical composition of the marine waters. Accordingly, the satellite-derived reflectance at the air-sea interface can be related to the concentration of an optically-significant constituent (e.g. chlorophyll). The retrieval of chlorophyll from SeaWiFS for case 1 waters (optically dominated by phytoplankton and associated products) uses a 4th order polynomial algorithm (O'Reilly et al. 2000). Quality/accuracy/calibration information: The 'standard' algorithm proposed by space agencies to process data from their sensors has a nominal accuracy of ~35% in the retrieval of surface chlorophyll in case 1 waters. References: J. E. O'Reilly and co-authors, SeaWiFS Postlaunch Calibration and Validation Analyses, Part 3. NASA Tech. Memo. 2000-206892, Vol. 11, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 9-23. Other contextual information: The product is stored in NetCDF data and available for download.

Geographic bounding box: 70.0° N, 42.0° E, 10.0° S, -30.0° W

Coordinate Reference System: ETRS89